

Notice of Allowability

Application No.

10/559,104

Applicant(s)

WYNN ET AL.

Examiner

Jack I. Berman

Art Unit

2881

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-12.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 12/2/05, 4/19/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Jack I. Berman
Primary Examiner

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Howard Shipley on October 25, 2007.

The application has been amended as follows:

IN THE CLAIMS:

1. (Currently Amended) An ion mobility spectrometer system including a first and second IMS cell, each cell having an inlet by which a vapor or gas to be analyzed is supplied to the cells, a driver ~~operable to drive~~ that initially drives the first and second cells at opposite polarities such that the first and second cells are responsive to respective first and second substances different from one another, wherein the driver ~~is operable to switch~~ subsequently switches the polarity of at least the first cell so that it is responsive to a substance different from the first substance.
2. (Currently Amended) A spectrometer system according to Claim 1, wherein the driver ~~is operable to switches~~ both the first and second cells so that at any one time one cell is operating at positive polarity and the other is operating at negative polarity.
3. (Currently Amended) A spectrometer system according to Claim 1, wherein the driver ~~is operable to switches~~ polarity of the or each cell at regular intervals.

6. (Currently Amended) A spectrometer system according to claim 1, wherein the driver ~~is operable to~~ switches polarity in response to a signal indicative of the presence of a substance.

10. (Currently Amended) A spectrometer system according to claim 1, wherein the driver ~~is operable initially to~~ switches both the first and second cells so that at any one time one cell is operating at positive polarity and the other is operating at negative polarity, and that, when a cell operating at one polarity indicates the presence of a substance, the driver maintains that cell at that polarity.

The following is an examiner's statement of reasons for allowance: The prior art teaches to detect both positive and negative ions in an ion mobility spectrometer system by either providing two IMS cells operating at opposite polarities or by providing a single IMS cell and switching its polarity, but there is no suggestion of combining both approaches by providing two IMS cells operating at opposite polarities and switching the polarity of at least one cell during operation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Application/Control Number:
10/559,104
Art Unit: 2881

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack I. Berman whose telephone number is (571) 272-2468. The examiner can normally be reached on Monday-Thursday (8:30-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Jack I. Berman
Primary Examiner
Art Unit 2881

jb
10/25/07